

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12593	707/5.ccls. or 707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/19 11:56
L2	60	l1 and data adj mining adj model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/19 11:56
S1	6413	data adj (mine mining)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 17:24
S2	2854	S1 and (train\$4 learn \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:36
S3	16	S2 and mining adj structur\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:38
S4	74	S2 and bucket\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:42
S5	0	S2 and bucket\$4 same (sex male\$2 female\$2) same (salar\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:42
S6	4	S1 same (sex male\$2 female\$2) same (salar \$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:42
S7	446	data adj (mine mining) same train\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:44

S8	219	data adj (mine mining) same model\$2 same train\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 12:44
S9	228	data adj (mine mining) same model\$3 same train\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 13:55
S10	7	data adj (mine mining) same model\$3 same train\$3 same bin\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:03
S11	40	data adj (mine mining) same model\$3 same train\$3 and bin\$2 and classif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 17:24
S12	7	"6301579" and drill\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:07
S13	1	"6301579".pn. and drill \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:16
S14	1	"6301579".pn. and train \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 17:20
S15	1	"6301579".pn. and induc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 17:55
S17	0	"6301579".pn. and (application adj program \$6 api)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 17:21
S18	22	data adj (mine mining) same (train\$4 learn\$4) same (api applicat\$6 adj program\$6 adj interfac\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:33

S19	1	"6301579".pn. and "1701"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 18:59
S20	1	"6865573".pn. and database\$2 with training	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 18:30
S23	1	"624278".apn. and connect\$5 near3 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:29
S24	1	"6301579".pn. and indicat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:08
S25	1	"6301579".pn. and drill \$through	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:08
S26	1	"624278".apn. and first \$class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:29
S27	0	data adj (mine mining) same (train\$4 learn\$4) same first\$class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:34
S28	2	database with model\$4 with first\$class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:35
S29	30	database same model \$4 same first\$class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:36
S30	32	database same persisten\$4 same first \$class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:38

S31	81	database same first \$class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:38
S32	49	(database same first \$class) not S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 19:38
S33	7742	707/104.1.ccls. or 707/102.ccls. or 707/103Y.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 17:11
S34	443	S33 and (data adj (mine mining))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 16:34
S35	132	S34 and train\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 17:11
S36	1	"624278".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 11:38
S37	1	S36 and "data set training data"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 16:30
S38	1	S36 and link	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 16:30
S39	8535	707/104.1.ccls. or 707/102.ccls. or 707/103Y.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 16:34
S40	505	S39 and (data adj (mine mining))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 16:35

S41	160	S40 and train\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 16:35
S42	7316	"706"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 16:35
S43	452	S42 and data near3 mining	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 16:35
S44	275	S43 and train\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/07 16:35
S45	1	"624278".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 16:23
S46	1	"624278".apn. and data adj set adj training adj data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 16:32
S47	1	"624278".apn. and train \$4 with mining adj model\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 16:32
S48	9811	707/104.1.ccls. or 707/102.ccls. or 707/103Y.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 17:05
S49	605	S48 and (data adj (mine mining))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 17:05
S50	193	S49 and train\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/12 17:05

S51	1	"6301579".pn. and decision adj tree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 12:05
S52	1	"6301579".pn. and test adj set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:57
S53	64863	case adj data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:54
S54	2	case adj data with key with value with (variable parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:54
S55	56	case adj data with key with value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:55
S56	1	"6301579".pn. and case	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 15:32
S57	1	"624278".apn. and case	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:56
S58	900	table with record with key with value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 13:57
S59	43	data adj mining and table with record with key with value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 14:11
S60	1	"6301579".pn. and record	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 14:07

S61	2	"6301579".pn. and data adj set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 14:07
S62	2	data adj mining and data adj set with record with key with value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 14:11
S63	1	"6301579".pn. and drill	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 15:39
S64	372	database and table same first adj class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 15:40
S65	98	database same table same first adj class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 15:47
S66	2	"6591274".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 15:47
S67	1	"6591274".pn. and first adj class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/22 15:56
S69	0	("6301579".pn. or "5890150".pn.) and first adj class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 12:52
S72	222	mining with model with creat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 12:53
S73	19	mining with model with creat\$4 same structure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 12:57

S74	1	data adj mining with no with training adj set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 12:58
S75	47	data adj mining and no with training adj set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 12:58
S76	115	data adj mining and creat\$4 with training adj set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:01
S78	0	file with "not" with found	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:03
S79	599	file with cannot with found	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:03
S80	27	file with cannot with found with creat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:06
S81	28	file with cannot with found with \$creat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:06
S82	1	file with cannot with found with \$creat\$4 not S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/23 13:06
S83	1	"6301579".pn. and (delete drop clear update quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/01 16:55
S84	1	"6301579".pn. and (key unique\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/01 18:11

S85	1	"624278".apn. and (function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/01 17:25
S86	1	"6301579".pn. and (compar\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:49
S87	286	707/5.ccls. and data adj mining	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:49
S88	133	707/5.ccls. and data adj mining and classif \$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:49
S89	9869	707/5.ccls. or 707/100. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 00:23
S90	764	S89 and data adj mining	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 00:24
S91	215	S90 and discret\$7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 00:25
S92	123	S91 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 00:25
S93	107	S92 and quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 00:25
S94	11217	707/5.ccls. or 707/100. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 16:58

S95	870	S94 and data adj mining	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 16:59
S96	35	S95 and (binning discretization)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 16:59
S97	762	data adj mining near3 model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 18:34
S98	103	data adj mining near3 model same (copy instance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 18:35
S99	1	"20030212678".pn. and predict\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 21:33
S100	1	"6301579".pn. and predict\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/18 21:34

8/ 19/ 2009 11:56:47 AM

C:\Documents and Settings\clu1\My Documents\EAST\Workspaces\10_624278 Data Mining Structure.wsp